

Davis Health Center Miller Campus Center 004 34 Cornell Drive, Canton NY, 13617 Phone: 315-386-7333 Fax: 315-386-7932

Email: healthcenter@canton.edu

Student Health History, Immunization and Physical Exam Form

DUE DATES: Fall Semester <u>AUGUST 1ST</u> Spring Semester <u>JANUARY 1ST</u>

This Form includes the New York State
Mandatory College Requirements
All information is confidential

ATHLETES: DO NOT USE THIS FORM.

Athletes must use the Athletic Pre-Participation Physical Form found on the Athletic or Health Center's web page.

<u>NOTE</u>: If you are taking ALL ONLINE classes and NOT LIVING ON CAMPUS, you are not required to complete this form.

ALL FIELDS ON THIS FORM WITH AN ASTERISK (*) ARE REQUIRED AND NEED TO BE COMPLETED ENTIRELY.

*Student Information							
Print Name (First, Middle Init	al, Last):	Studen	Student ID #:				
Preferred Name:	Preferred Pronouns:						
Date of Birth:	Phone Number (Home):()_	Cell:(_	Cell:()				
Home Address:Street		State	Zip				
Email Address:SUNY	Ž						
SUNY Canton email Personal Email Entering Term: Fall Spring Year: Program/Major Entering:							
*Emergency Contact Information							
Print Name (First, Last):							
Home Phone: () Work Phone: ()							
Current Health Care Provider Information							
Name & Title of Provider:	Phone:()						
Address: Clinic/Facility							
Clinic/Facility							
Street, City, State, Zip							
Please continue this form and complete Parts I – III (Immunizations, Personal Health History, and Physical Exam)							
Davis Health Center Office Use Only:							
Received by:	Reviewed by <u>:</u>	_Scanned By:					

Student Name:	DOB:		
NYS PHL Section 2165 requires students attending post-secondaregistered for 6 or more credit hours to demonstrate proof of imm	IENINGITIS REQUIREMENTS: Ary institutions who were born on or after January 1, 1957 and and punity against measles, mumps, and rubella. AD (I.E. HIGH SCHOOL RECORD) CAN BE ATTACHED.		
 • Required for ALL students: • MMR (2 doses, First one no more than 4 days before first birthday and at least 28 days apart) 1st / / 2nd / / Mo Day Yr 2nd / OR: • MEASLES 1st / / 2nd /	★ ◆ VARICELLA (Chicken Pox): 1st/		
OR: O 2 Doses of MENINGITIS B within 5 years of admission 1st// 2nd/ Mo Day Yr OR: O Completed Meningitis Response Form (see below)	* TUBERCULOSIS SCREENING: Required for all students at high risk for TB. <u>A second PPD Mantoux is required for certain health-related curriculums</u> .		
 ★ Required for certain curriculums. Please see page 5 for more information. ♠ Recommended for ALL students: ★ ◆ TETANUS/DIPHTHERIA/PERTUSSIS (circle one): Tdap, Boostrix, Adacel or Td (if past hx of Tdap after age 11) (in last ten years)://////	# #1 PPD MANTOUX Date Administered: Date Read: mm		
*HEALTH CARE PROVIDER SIGNATURE REQUIR	. , , , , , , , , , , , , , , , , , , ,		
Name & Title: Address:			
Meningitis Response Form. More information can be found on the CHECK ONE BOX B I have (or for students under the age of 18: My child has): □ had meningococcal immunization within 5 years of admit have read, or have had explained to me, the information reaction of not receiving the vaccine. I understand that this decision my health care provider or local health department. *Student's Signature:	ission. The vaccine record is attached or has been verified above ration against meningococcal meningitis disease at this time. I regarding meningococcal meningitis disease. I understand the risks on can be changed at any time, and the vaccine may be available a Date:		
Parent/Guardian signature if student is und	er the age of 18		

Student Name:	DOB:							
	PART II - PERSONAL HISTORY:							
Check if you have ever had or are currently being treated for the following:								
☐ Alcohol/Substance Abuse ☐ Asthma ☐ Back Trouble ☐ Blood Disorder (i.e. Sickle Cell) ☐ Congenital or other heart Problems Please explain any checked boxes (see		□ Diabetes □ Disabling Condition □ Eating Disorder □ Anxiety/Depression □ Mental Health Disor □ Epilepsy/Seizure Di □ Head injury/Concus s, medications, etc.)	/Other rder sorder	☐ Intestinal Disease ☐ Kidney Disease ☐ Marfan Syndrome ☐ Orthopedic ☐ Thyroid Disease ☐ Tuberculosis or TB Contact ☐ Other (Explain Below)				
	☐ Cigarettes ☐ Cigar	rs \square Snuff or Chew	☐ E-Cig or Vape	e				
Allergies (List all drug, food, and other allergies? □ No □ Yes (If Yes, please list with the type of reaction):								
*** PART III - PHYSICAL EXA Required for international student: *A physical is optional but recomme	STOP HERE UNI M: s, students in Nursin	LESS A PHYSICAL ag and students in Physical	other:LIS REQUIR	ED *** t Assistant.				
AGE: SEX:				HEIGHT:				
VISION FAR: R: 20/								
PHYSICAL EXAM	NORMAL	ABNORMAL	out correction	COMMENTS				
1. GENERAL APPEARANCE 2. SKIN 3. HEENT 4. NECK 5. LUNGS 6. HEART 7. ABDOMEN								
8. MUSCULOSKELATAL		 						
9. PSYCHIATRIC								
*Is this student able to participate in If No, what activities are to be eliminated?	all physical activity in	acluding sports and cli	inical rotations?	□ Yes □ No				
*HEALTH CARE PROVIDER SIG				f Exam:				
	e:Signature:							
Address:		Phone:						

New York State Mandatory Immunization Requirements

MMR (Measles, Mumps, and Rubella):

New York State PHL Section 2165 requires students attending post-secondary institutions who were born on or after January 1, 1957 and registered for 6 or more credit hours to demonstrate proof of immunity against measles, mumps, and rubella.

Proof of immunity for MMR consists of:

- Measles Must document two doses of live measles vaccine, *OR* a measles (rubeola) titer showing immunity.
- Mumps Must document one dose of live mumps vaccine, OR a mumps titer showing immunity.
- **Rubella** Must document one dose of live rubella vaccine, OR a rubella titer showing immunity.

Meningitis:

New York State PHL Section 2167 requires post-secondary institutions to distribute information about meningococcal disease and immunization to the students (or parents or guardians of students under the age of 18) accompanied by a response form. Acceptable documentation includes any of the following:

• A vaccine record indicating at least 1 dose of meningococcal ACWY vaccine <u>OR</u> 2 doses of Meningococcal B vaccine within 5 years of admission without any breaks in enrollment;

OR:

• A signed Meningitis Response Form indicating that the student will not obtain immunization against meningococcal disease.

*If the student has not received meningococcal vaccine within 5 years of enrollment date, then they **must** submit the signed response form.

Recommended Immunizations

Tuberculin Skin Test

Tuberculin skin test <u>OR</u> Quantiferon Gold-TB blood test. This is to determine previous exposure to tuberculosis. This test is required for high-risk students as defined by the Centers for Disease Control and Prevention. For more information, please refer to the CDC Web site at <u>www.cdc.gov</u>. * *REQUIRED for the following curriculums: Nursing, Physical Therapist Assistant* (*PTA*), and Early Childhood

Varicella Vaccine (chickenpox)

Must document two doses of varicella vaccine *OR* a varicella titer showing proof of immunity. Stated history or even documentation by a medical provider of a history of varicella will not be acceptable proof of immunity.

*REQUIRED for the following curriculums: Nursing and PTA

Tetanus, Diphtheria, and Pertussis

After primary series of tetanus, diphtheria and pertussis, one dose of Tetanus toxoid, reduced diphtheria, and acellur pertussis (Tdap) vaccine is recommended after age 11 and a subsequent Td booster every 10 years.

*REQUIRED for the following curriculums: Nursing and PTA

COVID-19

SUNY policy adopts the State of New York directive that public colleges and universities recommend that all students who intend to engage in-person at a SUNY campus or facility receive a COVID-19 vaccination.

*While this is not a requirement, it is HIGHLY recommended for the following curriculums: Nursing and PTA

<u>Hepatitis B</u>

Series of three doses given prior to college entry is strongly suggested for all college students. * REQUIRED for the following curriculums: Nursing, PTA students must show proof of Hep B vaccines OR sign a declination/waiver form.

Gardasil (HPV4, HPV9)

HPV vaccines are vaccines that protect against either two, four, or nine types of human papillomavirus, which have been implicated in causing certain infections and cancers.

Physical Examination Requirements

1. International Students

- **2. Nursing and Physical Therapy Assistant students.** Students will **NOT** be allowed to participate in their clinical or fieldwork practice unless a physical examination is completed and on file. The physical examination must be within the last year.
- **3. Intercollegiate Athletes:** Be advised that athletes will **NOT** be allowed to try out for a team or to practice with a team until a pre-admission physical examination is completed and on file. The physical examination must be within the last 6 months.
- *For all other students the physical exam is recommended but not required.

Meningitis Information Sheet

The MenACWY vaccine is recommended for all U.S. teenagers and young adults up to age 21 years. Protection from the MenACWY vaccine is estimated to last about 3 to 5 years, so young adults who received the MenACWY vaccine before their 16th birthday should get a booster dose before entering college. The meningococcal B (MenB) vaccine protects against a fifth type of meningococcal disease, which accounts for about one-third of cases in the U.S. Young adults aged 16 through 23 years may choose to receive the MenB vaccine series.

What is meningococcal disease?

Meningococcal disease is caused by bacteria called *Neisseria meningitidis*. It can lead to serious blood infections. When the linings of the brain and spinal cord become inflamed, it is called meningitis. The disease strikes quickly and can have serious complications including death. Anyone can get meningococcal disease. Some people are at higher risk. This disease occurs more often in people who are:

- Infants younger than one year of age and teenagers or young adults
- Living in crowded settings like college dormitories or military barracks
- Traveling to areas outside of the United States, such as the "meningitis belt" in Africa
- Living with a damaged spleen or no spleen
- Being treated with Soliris® or who have complement component deficiency (an inherited immune disorder)
- Exposed during an outbreak

What are the symptoms?

Symptoms appear suddenly – usually 3 to 4 days after a person is infected. It can take up to 10 days to develop symptoms. Symptoms may include:

- Weakness and feeling very ill, sudden high fever, Eyes sensitive to light
- Headache and Stiff neck (meningitis)
- Nausea and vomiting
- Red-purple skin rash

How is meningococcal disease spread?

It spreads from person-to-person by coughing or coming into close or lengthy contact with someone who is sick or who carries the bacteria. Contact includes kissing, sharing drinks, or living together. Up to one in 10 people carry meningococcal bacteria in their nose or throat without getting sick.

Is there treatment? Early diagnosis of meningococcal disease is very important.

If it is caught early, meningococcal disease can be treated with antibiotics. But, sometimes the infection has caused too much damage for antibiotics to prevent death or serious long-term problems. Most people need to be cared for in a hospital due to serious, life-threatening infections.

What are the complications?

Ten to 15 percent of those who get meningococcal disease die. Among survivors, as many as one in five will have permanent disabilities. Complications include hearing loss, brain damage, kidney damage and limb amputations.

What should I do if I or someone I love is exposed?

If you are in close contact with a person with meningococcal disease, talk with your health care provider about the risk to you and your family. They can prescribe an antibiotic to prevent the disease.

What is the best way to prevent meningococcal disease?

The single best way to prevent this disease is to be vaccinated. Vaccines are available for people 6 weeks of age and older. Various vaccines offer protection against the five major strains of bacteria that cause meningococcal disease:

- All teenagers should receive two doses of vaccine against strains A, C, W and Y. The first dose is given at 11 to 12 years of age and the second dose (booster) at age 16. It is very important that teens receive the booster dose at age 16 in order to protect them through the years when they are at greatest risk of meningococcal disease. Talk to your health care provider today if your teen has not received two doses of vaccine against meningococcal A, C, W and Y.
- Teens and young adults can also be vaccinated against the "B" strain. Talk to your health care provider about whether they recommend vaccine against the "B" strain.
- Others who should receive the vaccine include: Infants, children and adults with certain medical conditions; People exposed during an outbreak; Travelers to the "meningitis belt" of Sub-Saharan Africa, and Military recruits.

Additional Information

- Travel and meningococcal disease http://wwwnc.cdc.gov/travel/diseases/meningococcal-disease
- Learn more about meningococcal disease (cdc.gov) http://www.cdc.gov/meningococcal/
- More information about vaccine-preventable diseases http://www.health.ny.gov/prevention/immunization/